

Printing date 28.04.2023 Version number 6 Revision: 10.02.2023

1 Identification

- · Product identifier
- · Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760
- · Relevant identified uses of the substance or mixture and uses advised against Restricted to professional users.
- · Application of the substance / the mixture Spray extraction cleaner
- · Uses advised against -
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Alfred Kärcher SE & Co. KG

Alfred-Kärcher-Str. 28-40 D - 71364 Winnenden Tel.: +49-7195-14-0

Kärcher Pty. Ltd.

385 Ferntree Gully Rd Mount Waverley, Victoria 3149 Victoria

Ph.: +61-3-9765-2300

Internet: www.karcher.com

· Distributor:

Kärcher Pty. Ltd. 385 Ferntree Gully Rd

Mount Waverley, Victoria 3149

Victoria

Ph.: +61-3-9765-2300 www.karcher.com.au

- Email competent person: productsafety.management@de.kaercher.com
- · Further information obtainable from:

Regulatory Affairs Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

· Emergency telephone number:

For Hazardous Materials [or Dangerous Goods] Incidents Spill, Leak, Fire, Exposure, or Accident

Call CHEMTREC Day or Night

Within USA and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-741-5970 (collect calls accepted)

2 Hazard(s) Identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation.

(Contd. on page 2)



Printing date 28.04.2023 Version number 6 Revision: 10.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 1)

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labelled according to the Globally Harmonised System (GHS).

Hazard pictograms
 Exclamation mark



- · Signal word Warning
- · Hazard-determining components of labelling:

citric acid

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves / eye protection / face protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

3 Composition and Information on Ingredients

· Chemical characterisation: Mixtures

· **Description:** Mixture of substances listed below with non-hazardous additions.

| · Dangerou | s components: | |
|------------|--|-----------|
| | sodium carbonate | 30-50% |
| | ♦ Eye Irrit. 2A, H319; STOT SE 3, H335 | |
| | citric acid | 30-50% |
| | ♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335 | |
| | oxalic acid dihydrate | ≥1-<3% |
| | ♦ Eye Dam. 1, H318; ♦ Acute Tox. 4, H302; Acute Tox. 4, H312 | |
| 68439-46-3 | C9-11 alcohol ethoxylate | 1-5% |
| | ♦ Eye Irrit. 2A, H319 | |
| | (Contract) | d on nage |

(Contd. on page 3)



Printing date 28.04.2023 Version number 6 Revision: 10.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

| | (Cont | td. of page 2) |
|-----------|---------------------|----------------|
| 9004-34-6 | Cellulose | 1-5% |
| | | 0.1-1% |
| | Acute Tox. 3, H311; | |

· Additional information For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

- · Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact Generally the product does not irritate the skin.
- · After eye contact Rinse opened eye for several minutes under running water.
- · After swallowing

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Do not allow to penetrate the ground/soil.

· Methods and material for containment and cleaning up: Pick up mechanically.

(Contd. on page 4)



Printing date 28.04.2023 Version number 6 Revision: 10.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 3)

· Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

- · Handling
- · Precautions for safe handling

Prevent formation of dust.

Avoid contact with eyes and skin.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: Protect from humidity. Store dry and locked up.
- · Information about storage in one common storage facility: Keep away from food, beverages and feed.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls and personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

6153-56-6 oxalic acid dihydrate

WES Short-term value: 2 mg/m³ Long-term value: 1 mg/m³

9004-34-6 Cellulose

WES Long-term value: 10 mg/m³

· DNELs

497-19-8 sodium carbonate

Inhalative DNEL 10 mg/m3 (employee)

- Exposure controls
- Personal protective equipment
- · General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection: Not necessary if room is well-ventilated.

(Contd. on page 5)



Printing date 28.04.2023 Version number 6 Revision: 10.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 4)

- · Protection of hands: Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.
- · Eye protection:

Bulk density:

Relative density

Vapour density

Evaporation rate



Tightly sealed goggles (EN 166)

9 Physical and Chemical Properties

| 9 Physical and Chemical Properties | | |
|---|---|--|
| · Information on basic physical and ch · General Information | emical properties | |
| · Appearance: Form: | Tablets | |
| Colour: | Colourless | |
| · Odour: | green tea | |
| · Odour threshold: | Not determined. | |
| · pH-value: | Not determined. | |
| · pH-value 10 %: | 8-9 | |
| · Change in condition | | |
| Melting point/freezing point: | undetermined | |
| Initial boiling point and boiling range: | undetermined | |
| · Flash point: | Not applicable | |
| · Flammability (solid, gaseous) | Not determined. | |
| Ignition temperature: | not applicable | |
| · Decomposition temperature: | Not determined. | |
| · Auto-ignition temperature: | Product is not selfigniting. | |
| · Explosive properties: | Product does not present an explosion hazard. | |
| · Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Vapour pressure: | Not applicable. | |
| · Density: | | |

890 kg/m³

Not determined.

Not applicable.

Not applicable.

(Contd. on page 6)



Printing date 28.04.2023 Version number 6 Revision: 10.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 5)

· Solubility in / Miscibility with

Water: Soluble

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

dynamic: Not applicable. **kinematic:** Not applicable.

· Other information No further relevant information available.

10 Stability and Reactivity

- · Reactivity corresponds to 10.3
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological Information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC5 | · LD/LC50 values relevant for classification: | |
|----------|---|------------------------|
| 497-19-8 | 497-19-8 sodium carbonate | |
| Oral | LD50 | 2800 mg/kg (Rat) |
| Dermal | LD50 | >2000 mg/kg (rabbit) |
| 6153-56 | -6 oxa | lic acid dihydrate |
| Dermal | LD50 | 20000 mg/kg (Rabbit) |
| 68439-4 | 6-3 C9 | -11 alcohol ethoxylate |
| Oral | LD50 | >5000 mg/kg (Rat) |

- · Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 7)



Printing date 28.04.2023 Version number 6 Revision: 10.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 6)

- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

12 Ecological Information

· Toxicity

| · Aquatic to | · Aquatic toxicity: | | |
|--------------|---|--|--|
| 497-19-8 sc | 497-19-8 sodium carbonate | | |
| EC50/48 h | 200-227 mg/l (Ceriodaphnia dubia) | | |
| EC50/96 h | 300 mg/l (Lepomis macrochirus) | | |
| 77-92-9 cit | ric acid | | |
| LC50/48 h | 440 mg/l (Leuciscus idus) (OECD Test Guideline 203) | | |
| LC50/24 h | 1.535 mg/l (Daphnia magna) (static test) | | |
| 6153-56-6 | oxalic acid dihydrate | | |
| LC50/48 h | 160 mg/l (Leuciscus idus) | | |
| EC50/48 h | 162.2 mg/l (Daphnia magna) | | |
| 68439-46-3 | C9-11 alcohol ethoxylate | | |
| LC50/96 h | 1-10 mg/l (Oncorhynchus mykiss) | | |
| EC50/48 h | 1-10 mg/l (Daphnia magna) | | |
| EC50/72 h | 1-10 mg/l (Algae) | | |

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on ligid waste.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

(Contd. on page 8)



Printing date 28.04.2023 Version number 6 Revision: 10.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 7)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Must be specially treated adhering to official regulations.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

| 4 Transport information | |
|---|--------------------------|
| · UN-Number · ADG, IMDG, IATA | Void |
| · UN proper shipping name · ADG, IMDG, IATA | Void |
| · Transport hazard class(es) | |
| · ADG, ADN, IMDG, IATA · Class | Void |
| · Packing group · ADG, IMDG, IATA | Void |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not applicable. |
| Transport in bulk according to Anno Marpol and the IBC Code | ex II of Not applicable. |
| · UN "Model Regulation": | Void |

~~ ^\

(Contd. on page 9)



Printing date 28.04.2023 Version number 6 Revision: 10.02.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 8)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

| | nventory of Industrial Chemicals | |
|-------------|--|---|
| 497-19-8 | sodium carbonate | |
| 77-92-9 | citric acid | |
| 164462-16-2 | methylglycine diacetic acid, trisodium salt, solution | |
| | sodium hydrogencarbonate | |
| 6153-56-6 | oxalic acid dihydrate | |
| 9004-34-6 | Cellulose | |
| 151-21-3 | sodium dodecyl sulphate | |
| | Polysiloxane | |
| 25265-71-8 | Dipropylene glycol (isomer unspecified) | |
| 115-95-7 | linalyl acetate | |
| 60-12-8 | Phenethyl alcohol | |
| | tetrahydrolinalool | |
| 98-55-5 | alpha-Terpineol | |
| 151-05-3 | 1,1-Dimethyl-2-phenylethyl acetate | |
| 6658-48-6 | p-Isobutyl-alpha-methyl hydrocinnamaldehyde | |
| 10094-34-5 | alpha,alpha-Dimethylphenethyl butyrate | |
| 25634-93-9 | 2-methyl-5-phenylpentanol | |
| 55066-48-3 | 3-Methyl-5-phenylpentanol | |
| 79-77-6 | (E)betalonone | |
| 81782-77-6 | 4-Methyl-3-decen-5-ol | |
| | 2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde | |
| 120-14-9 | veratraldehyde | |
| | (Z)-beta-1-(2,6,6-Trimethyl-1-cyclohexen-1-yl)-2-buten-1-one | |
| 120-51-4 | Benzyl benzoate | |
| 78-70-6 | Linalool | |
| | Benzyl alcohol | |
| | geraniol | |
| 5989-27-5 | (R)-p-mentha-1,8-diene | |
| Standard fo | r the Uniform Scheduling of Medicines and Poisons | |
| 6153-56-6 o | xalic acid dihydrate | S |
| 106-24-1 g | eraniol | s |

· National regulations

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

(Contd. on page 10)



Version number 6 Revision: 10.02.2023 Printing date 28.04.2023

Trade name: CarpetPro Cleaner iCapsol, Tablet RM 760

(Contd. of page 9)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

· Relevant phrases

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Contact:

Regulatory Affairs

Tel.: +49-7195-14-0

productsafety.management@de.kaercher.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent. Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity - Category 3

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

· * Data compared to the previous version altered.

0.011-335.0 RM 760 T/6 2.647